

# CRS326-24G-2S+RM

Mikrotik CRS326-24G-2S+RM. 24 Gigabit port, 2 x SFP+, DualBoot(RouterOS və ya SwitchOS), 1U rackmount



## Specifications

Model	CRS326-24G-2S+RM
Brand	Mikrotik
Port say?	24 Port
Tip	Smart
Port sür?ti	1000mb/s





KEY FEATURES

Specifications

	Details
Product code	CRS326-24G-2S+RM
Architecture	ARM 32bit
CPU	98DX3236
CPU core count	1
CPU nominal frequency	800 MHz
Switch chip model	98DX3236
Dimensions	443 x 144 x 44 mm
RouterOS license	5
Operating System	RouterOS / SwitchOS
Size of RAM	512 MB
Storage size	16 MB
Storage type	FLASH
MTBF	Approximately 200'000 hours at 25C
Tested ambient temperature	-40°C to 60°C

Powering

	Details
Number of DC inputs	2 (DC jack, PoE-IN)
DC jack input Voltage	10-30 V
Max power consumption	24 W
Cooling type	Passive
PoE in	Passive PoE
PoE in input Voltage	10-30 V

Ethernet

	Details
10/100/1000 Ethernet ports	24

Fiber

	Details
SFP+ ports	2

Peripherals

	Details
Serial console port	RJ45

Certification & Approvals

	Details
Certification	CE, EAC, ROHS

IP

IP20