

CS-H8C 2K (4MP)

EZVIZ CS-H8C 2k+ 4MP full color (rəngli) ikitərəfli səsli PT wifi kamera. AI-Powered Human Detection.



Specifications

Model	CS-H8C 2K (4MP)
Brand	Ezviz
Qoʻulma	Wifi
Meqapixel	4 MP
Gecʻ görmʻ mʻsafʻsi	30m
Sʻs	İkitərəfli səs
Micro SD	512Gb
ʻʻ mühiti	Outdoor

KEY FEATURES

Model	CS-H8c (2K⁰)
Image Sensor	1/3" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm@ F1.6, viewing angle: 46° (Vertica), 89° (Horizontal), 104° (Diagonal) 6mm@ F1.6, viewing angle:28° (Vertica), 52° (Horizontal), 60° (Diagonal)
PT Angle	Pan: 350°, Tilt: 80°
Minimum Illumination	0.5 Lux @ (F1.6, AGC ON), 0 Lux with IR (Data is obtained from EZVIZ laboratories)
Lens Mount	M12
Day & Night	IR-Cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
Night Vision Distance	30 m / 98 ft
Max. Resolution	2560 × 1440
Frame Rate	Max: 30fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
H.265 Type	Main Profile
Video Bit Rate	Quad HD; Full HD; Hi-Def; Standard. Adaptive bit rate.
Audio Bit Rate	Self-Adaptive
Max. Bitrate	4 Mbps
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Transmission Rate	11b: 11 Mbps,11g: 54 Mbps,11n: 72 Mbps
Wi-Fi Pairing	AP pairing
Protocol	EZVIZ Cloud Proprietary Protocol
Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	RJ45 × 1 (10M / 100M Adaptive Ethernet Port)
Local Storage	MicroSD card slot (Up to 512GB)
Cloud Storage	EZVIZ Cloud Storage (Subscription Required)
Smart Alarm	AI-Powered Human Shape Detection
Customized Alert Area	Supports
Two-way Talk	Supports
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Password Protection, Watermark
Preset Locations	Supports
Operating Conditions	-30 °C to 50°C (-22 °F to 122 °F), humidity 95% or less (non-condensing)
IP Grade	Weatherproof Design
Power Supply	DC 12V / 1A
Power Consumption	MAX. 12W
Dimensions	100.05 × 129.19 × 149.75 mm (3.94 × 5.09 × 5.9 inch)

Packaging Dimensions	140 × 140 × 192 mm (5.51 × 5.51 × 7.56 inch)
Weight (With package)	745 g (26.28 oz) For EU Standard Version
Net Weight	435 g (15.34 oz)
	- H8c 2K⁺ Camera
	- Drill Template
	- Screw Kit
In the box	- Waterproof Kit
	- Power Adapter
	- Regulatory Information
	- Quick Start Guide
Certifications	CE / FCC / UKCA / UL / WEEE / RoHS / REACH