

CS-H8C-R100-1K2WKFL

EZVIZ CS-H8c-R100-1K2WKFL(4MM) 2mp 30m Two-Way Talk 512Gb MicroSD Human Shape Detection Color Night Vision
Mode IR 30m Wi-Fi PT IP



Specifications

Model	CS-H8c-R100-1K2WKFL
Brand	Ezviz
Meqapixel	2 MP
Gec? görm? m?saf?si	30m
S?s	İkitərəfli səs
Micro SD	512Gb
Qo?ulma	Wifi
?? mühiti	Outdoor

KEY FEATURES

Model	Model CS-H8c (1080P)
Image Sensor	1/2.7" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm @ F2.0, viewing angle: 46° (Vertical), 89° (Horizontal), 104° (Diagonal) 6mm @ F2.0, viewing angle: 28° (Vertical), 52° (Horizontal), 60° (Diagonal)
PT Angle	Pan: 350°, Tilt: 80°
Minimum Illumination	0.5 Lux @ (F1.6, AGC ON), 0 Lux with IR (Data is obtained from EZVIZ laboratories)
Lens Mount	M12
Day & Night	IR-Cut filter with auto-switching
DNR	3D DNR
WDR	Digital WDR
Night Vision Distance	30 m / 98 ft
Max. Resolution	1920 × 1080
Frame Rate	Max: 30fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
H.265 Type	Main Profile
Video Bit Rate	Full HD; Hi-Def; Standard. Adaptive bit rate.
Audio Bit Rate	Self-Adaptive
Max. Bitrate	2 Mbps
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Transmission Rate	11b: 11 Mbps, 11g: 54 Mbps, 11n: 72 Mbps
Wi-Fi Pairing	AP pairing
Protocol	EZVIZ Cloud Proprietary Protocol
Interface Protocol	EZVIZ Cloud Proprietary Protocol
Wired Network	RJ45 × 1 (10M / 100M Adaptive Ethernet Port)
Local Storage	MicroSD card slot (Up to 512GB)
Cloud Storage	EZVIZ Cloud Storage (Subscription Required)
Smart Alarm	AI-Powered Human Shape Detection
Customized Alert Area	Supports
Two-way Talk	Supports
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Password Protection, Watermark
Operating Conditions	-30 °C to 50°C (-22 °F to 122 °F), humidity 95% or less (non-condensing)
IP Grade	Weatherproof Design
Power Supply	DC 12V / 1A
Power Consumption	MAX. 12W
Dimensions	100.05 × 129.19 × 149.75 mm (3.94 × 5.09 × 5.9 inch)
Packaging Dimensions	140 × 140 × 192 mm (5.51 × 5.51 × 7.56 inch)
Weight (With package)	730 g (25.75 oz)

Net Weight	420 g (14.8 oz)
In the box	<ul style="list-style-type: none">- H8c Camera- Drill Template- Screw Kit- Waterproof Kit- Power Adapter- Regulatory Information- Quick Start Guide

CE / FCC / UKCA / UL / WEEE / RoHS / REACH