

DH-C3A

DAHUA DH-C3A 2.8mm 3MP CUBE IP Wi-Fi camera, 3MP yüksək görüntü keyfiyyəti, 2.8mm sabit lens və Wi-Fi bağlantısı ilə daxili mühitlər üçün ideal həll təqdim edir. Kompakt kubik dizaynı ilə ev, mağaza və ofis istifadəsi üçün mükəmməl seçimdir.



Specifications

Model	DH-C3A
Brand	Dahua
Meqapixel	3 MP
Qo?ulma	Wifi
S?s	İkitərəfli səs
Gec? görm? m?saf?si	10m
Micro SD	256Gb
?? mühiti	Indoor

KEY FEATURES

Camera

Image Sensor	1/2.7" CMOS
Max. Resolution	2304 (H) × 1296 (V)
Electronic Shutter Speed	Auto/Manual 1/3 s–1/100,000 s

Speed

Illumination Distance	Up to 10 m (32.81 ft) (IR)
-----------------------	----------------------------

Illuminator On/Off Control	Auto
----------------------------	------

Illuminator Number	1 (IR LED)
--------------------	------------

Angle Adjustment	Pan: 0° to 360°; Tilt: -10° to 70°
------------------	---------------------------------------

Lens

Max. Aperture	F2.0
---------------	------

Field of View	H: 90°; V: 49°; D: 106°
---------------	-------------------------

Intelligence

Human Detection	Yes
-----------------	-----

Video

Video Compression	H.265
-------------------	-------

Video Frame Rate	Main stream: 2304 × 1296@(1-25/30 fps) sub stream: 640 × 360@(1-25/30 fps)
------------------	---

*The values above are the max. frame rates of each stream; for multiple streams, the values will be subjected to the total encoding capacity.

Resolution	3M (2304 × 1296); nHD (640 × 360)
------------	-----------------------------------

Video Bit Rate	H.265: 80 kbps–4096 kbps
----------------	--------------------------

Day/Night	Auto(ICR)/Color/B/W
-----------	---------------------

WDR	DWDR
-----	------

Motion Detection	Yes
------------------	-----

Image Rotation	0°/180°
----------------	---------

Audio

Built-in MIC	Yes, built-in Mic
--------------	-------------------

Built-in Speaker	Yes, built-in speaker
------------------	-----------------------

Audio Compression	G.711a
-------------------	--------

Network

Wi-Fi	IEEE 802.11b/g/n/ax 2.412-2.472 GHz, 2.4G
-------	---

Storage	Micro SD card (up to 256 GB)
---------	------------------------------

Management Software	DMSS
---------------------	------

Mobile Client	iOS;Android
---------------	-------------

Certification

Certifications	CE
----------------	----

Power

Power Supply	5 VDC, 1 A
--------------	------------

Power Consumption	Basic: 1.65 W; Max.: 2.75 W (H.265+ IR intensity)
-------------------	--

Environment

Operating Temperature -10 °C to +45 °C (14 °F to +113 °F)

Operating Humidity ≤95%

Structure

Casing Material Plastic

Product Dimensions Φ68 mm × 31.9 mm × 119.2 mm (2.68" × 1.26" × 4.69")

Net Weight 95 g (0.21 lb)