

DH-C4K-P

Dahua DH-C4K-P Cube 4MP Wi-Fi və PoE kamerası 2K keyfiyyətli təsvir təqdim edir. AI insan və avtomobil təyini sayəsində yalançı siqnalları azaldır. İkitərəfli səs əlaqəsi, 30 metrədək IR gecə görüntüsü və 256 GB-dək microSD dəstəyi ilə ev və ofis üçün kompakt və ideal təhlükəsizlik həllidir.



Specifications

Model	DH-C4K-P
Brand	Dahua
Meqapixel	4 MP
Qoʻulma	Wifi
Gecə görmə məsafəsi	30m
Səs	İkitərəfli səs
Micro SD	256Gb
Çalışma mühiti	Indoor

KEY FEATURES

Camera	
Image Sensor	1/3" CMOS
Max. Resolution	2560 (H) × 1440 (V)
Illumination Distance	Up to 30 m (98.43 ft) (IR)
Illuminator Number	1 (IR LED)
Angle Adjustment	Pan: 0° to 360°
	Tilt: -10° to 100°
Lens Type	Fixed-focal
Focal Length	2.8 mm; 3.6 mm
Max. Aperture	F2.0
Field of View	2.8 mm: H: 92°; V: 50°; D: 107°
	3.6 mm: H: 75°; V: 41°; D: 88°
Intelligence	
Human Detection	Yes
Audio and Video	
Video Compression	H.265; H.264; H.264H; H.264B; MJPEG (Only supported by the sub stream)
Video Frame Rate	Main stream: 2560 × 1440@(1-25/30 fps)
	Sub stream: 640 × 360@(1-25/30 fps)
	*The values above are the max. frame rates of each stream; for multiple streams, the values will be subjected to the total encoding capacity.
Video Bit Rate	H.264: 24 kbps–6144 kbps
	H.265: 9 kbps–6144 kbps
Day/Night	Auto(ICR)/Color/B/W
WDR	Yes
Motion Detection	OFF/ON (4 areas, rectangular)
Image Rotation	0°/180°
Built-in MIC	Yes, built-in Mic
Built-in Speaker	Yes, built-in speaker
Audio Compression	PCM; G.711a; G.711Mu
Network	
Network Port	RJ-45 (10/100 Base-T)
Wi-Fi	IEEE 802.11b/g/n/ax 2.412–2.472 GHz, 2.4 G
Wi-Fi Pairing	Bluetooth pairing
Storage	Micro SD card (support max. 256 GB)
Management Software	Smart PSS Lite;DMSS
Mobile Client	iOS;Android
Function	
Abnormal Sound Alarm	Yes
General	
Certifications	CE
Power Supply	12 VDC/PoE

Power Consumption	Basic: 2.04 W (12 VDC); 4.7 W (PoE) Max.: 2.89 W (12 VDC); 5.85 W (PoE)
Operating Temperature	-10 °C to +45 °C (+14 °F to +113 °F)
Operating Humidity	≤95% (RH), non-condensing
Camera Button	Reset button
Casing Material	Plastic
Product Dimensions	64 mm × 100 mm × 34 mm (2.52" × 3.94" × 1.34") (L × W × H)
Net Weight	0.11 kg (0.24 lb)