DAHUA

DH-CS4218-16ET-240

Kod: 00-00005592 · Switchlər



Dahua DH-CS4218-16ET-240 — 16 ədəd PoE port, 2 uplink və 2 SFP portu olan Cloud Managed PoE switch-dir. 240W ümumi PoE gücü ilə IP kameraları və PoE cihazları sabit enerji ilə təmin edir. Cloud idarəetməsi uzaqdan nəzarət və şəbəkə monitorinqini asanlaşdırır.

Texniki göstəricilər

16 Port	Port sayı
Managed	Tip
PoE	PoE
100mb/s	Port sürəti
250 W	PoE gücü

Ətraflı məlumat

Hardware	
Included Power Adapter	Forks
PoE	Forks
Ethernet Port	16
Ethernet Port Speed	10/100 Mbps
Optical Port Speed	1000 Mbps
Ethernet Port Uplink Speed	10/100/1000 Mbps
Optical Port Uplink Speed	1 Gbps
Description of Function Slots	Port 1-16: 16 × RJ-45 10/100 Mbps (PoE); Port 17-18: 2 × RJ-45 10/100/1000 Mbps (combo); Port 17-18: 2 × SFP 1000 Mbps (combo)
Reset Button	1
Power Supply	Built-in power supply: 100-240 VDC, 47-63 Hz, max 4 A
Operating Temperature	–10°C to +55°C (+14°F to +131°F)
Operating Humidity	5%–95% (RH), non-condensing
Storage Temperature	–40 °C to +70 °C (–40 °F to +158 °F)
Storage Humidity	5%–95% (RH), non-condensing
Power Consumption	Idling: ≤6W; Full load: 265W
Performance	
Layer	Layer 2
Management Type	Forks
Smart Managed Switch	Forks
MTBF	87.10 years
Switching Capacity	7.2 Gbps
Packet Forwarding Rate	5.36 Mpps
Packet Buffer Size	4 Mbit

Jumbo Frame	15K Byte
MAC Table Size	8K
VLAN Number	32
Communication Standard	IEEE802.3; IEEE802.3u; IEEE802.3x; IEEE802.3ab; IEEE802.3z
Feature	
PoE Protocol	IEEE802.3af; IEEE802.3at; Hi-PoE; IEEE802.3bt
PoE Power	Port 1-2 ≤ 90 W, Port 3-16 ≤ 30 W, total ≤ 240 W
PoE Power Consumption Management	Forks
PoE Pin Assignment	1,2,4,5□ V+□ ,3,6,7,8□ V-□
Long Distance PoE Transmission	Forks
VLAN Function	Port-based VLAN
IEEE 802.3x Flow Control	Forks
DHCP Function	DHCP Client
Equipment Management	web management; App management
General	
Statics Protection	Air discharge: 8 kV; Contact discharge: 6 kV
Lighting Protection	Common mode: 4 kV; Differential mode: 2 kV
Net Weight	2.35 kg (5.17 lb)
Gross Weight	3.0 kg (6.6 lb)
Product Dimensions	440mm × 220mm × 44mm (17.32" × 8.66" × 1.73") (L × W × H)
Packaging Dimensions	540mm × 342mm × 90mm (21.26" × 13.46" × 3.54") (L × W × H)
Casing Material	Sheet metal
Installation	Desktop mount; rack mount

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az