

## DH-F5D-PV

Dahua F5D-PV 5 meqapiksellik yüksək təsvir ölçülü simsiz Bullet kameradır. Wi-Fi 6 texnologiyası sayəsində daha uzaq məsafədən stabil və sürətli qoşulma təmin edir. Kameranın ən böyük üstünlüyü Active Deterrence (Aktiv Çəkindirmə) funksiyasıdır: təhlükə aşkar etdikdə qırmızı və göy işıqlarla, həmçinin daxili siren ilə müdaxiləçini uzaqlaşdırır. Süni intellekt (AI) vasitəsilə insan və nəqliyyat vasitələrini dəqiq ayırd edərək yalançı həyəcan siqnallarını minimuma endirir.



### Specifications

Model	DH-F5D-PV
Brand	Dahua
Meqapixel	5 MP
Qoşulma	Wifi
Gecə görmə məsafəsi	30m
Səs	İkitərəfli səs
Micro SD	256Gb
Çalışma mühiti	Outdoor

## KEY FEATURES

## Camera

Image Sensor	1/2.7" CMOS
Max. Resolution	2880 (H) × 1620 (V)
Min. Illumination	0.007 lux@F1.6 (Color, 30 IRE) 0.0007 lux@F1.6 (B/W, 30 IRE) 0 lux (Illuminator on)

Illumination Distance	Up to 30 m (98.43 ft) (IR)
	Up to 30 m (98.43 ft) (Warm light)

Illuminator Number	1 (IR LED); 1 (Warm light)
--------------------	----------------------------

Angle Adjustment	Tilt: 0°–90°
	Rotation: 0°–360°

Lens Type	Fixed-focal
-----------	-------------

Focal Length	2.8 mm; 3.6 mm
--------------	----------------

Max. Aperture	F1.6
---------------	------

Field of View	2.8 mm: H: 104°; V: 56°; D: 124°
	3.6 mm: H: 89°; V: 48°; D: 104°

## Intelligence

Human Detection	Yes
-----------------	-----

Vehicle Detection	Yes
-------------------	-----

## Audio and Video

Video Compression	H.264B; H.264; H.264H; H.265
-------------------	------------------------------

Video Frame Rate	Main stream: 2880 × 1620@(1-25/30 fps)
	sub stream: 640 × 360@(1-25/30 fps)

\*The values above are the max. frame rates of each stream; for multiple streams, the values will be subjected to the total encoding capacity.

Video Bit Rate	H.264: 32 kbps–4096 kbps;
	H.265: 32 kbps–4096 kbps

Day/Night	Auto(ICR)/Color/B/W
-----------	---------------------

WDR	DWDR
-----	------

Motion Detection	OFF/ON (4 areas, rectangular)
------------------	-------------------------------

Image Rotation	0°/180°
----------------	---------

Built-in MIC	Yes, built-in Mic
--------------	-------------------

Built-in Speaker	Yes, built-in speaker
------------------	-----------------------

Audio Compression	G.711a; G.711Mu; PCM
-------------------	----------------------

## Network

Network Port	RJ-45 (10/100 Base-T)
--------------	-----------------------

Wi-Fi	IEEE 802.11b/g/n/ax 2.4000–2.4835 GHz, 2.4 G, EIRP≤20 dBm
-------	---

Wi-Fi Pairing	Bluetooth pairing
---------------	-------------------

Interoperability	ONVIF (Profile S & Profile G & Profile T); CGI
------------------	--

Storage	Micro SD card (support max. 256 GB)
---------	-------------------------------------

Management	Smart PSS Lite; DSS; DMSS
------------	---------------------------

## Software

Mobile Client	Android;iOS
---------------	-------------

## General

---

<b>Certifications</b>	<b>CE-LVD: EN62368-1;</b> <b>CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU;</b> <b>CE-RED: Radio Equipment Directive 2014/53/EU</b>
<b>Power Supply</b>	<b>12 VDC</b>
<b>Power Consumption</b>	<b>Basic: 2.4 W (12 VDC);</b> <b>Max.: 7.5 W (12 VDC) (H.265 + warm light intensity + sound and light alarm)</b>
<b>Operating Temperature</b>	<b>-40 °C to +60 °C (-40 °F to +140 °F)</b>
<b>Operating Humidity</b>	<b>≤95% (RH), non-condensing</b>
<b>Protection</b>	<b>IP67</b>
<b>Camera Button</b>	<b>Reset button</b>
<b>Casing Material</b>	<b>Metal + plastic</b>
<b>Product Dimensions</b>	<b>158.3 mm × Φ76.8 mm (6.23" × Φ3.02")</b>
<b>Net Weight</b>	<b>0.34 kg (0.75 lb)</b>