

## DH-IPC-HFW1539DTK1-SW-PV

DAHUA DH-IPC-HFW1539DTK1-SW-PV 2.8mm 5MP Fixed-focal WiFi Bullet Network Camera, 5MP Full-Color görüntü texnologiyası ilə gecə-gündüz parlaq və detallı görüntülər təqdim edir. 2.8mm sabit obyektiv, Wi-Fi bağlantısı, PIR sensor və aktiv deterrent xüsusiyyətləri ilə etibarlı təhlükəsizlik təmin edir. Açıq və qapalı məkanlar üçün uyğundur.



### Specifications

Model	DH-IPC-HFW1539DTK1-SW-PV
Brand	Dahua
Meqapixel	5 MP
Qo?ulma	Wifi
S?s	İkitərəfli səs
Gec? görm? m?saf?si	30m
Micro SD	256Gb
?? mühiti	Outdoor

## KEY FEATURES

## Camera

<b>Image Sensor</b>	1/2.7" CMOS
<b>Max. Resolution</b>	2880 (H) × 1620 (V)
<b>Min. Illumination</b>	0.007 lux@F1.6 (Color, 30 IRE)
	0.0007 lux@F1.6 (B/W, 30 IRE)
	0 lux (Illuminator on)

<b>Illumination Distance</b>	Up to 30 m (98.43 ft) (IR)
	Up to 30 m (98.43 ft) (Warm light)

<b>Illuminator Number</b>	1 (Multi-core (IR + warm) light)
---------------------------	----------------------------------

<b>Angle Adjustment</b>	Tilt: 0°–90°
	Rotation: 0°–360°

<b>Lens Type</b>	Fixed-focal
------------------	-------------

<b>Focal Length</b>	2.8 mm; 3.6 mm
---------------------	----------------

<b>Max. Aperture</b>	F1.6
----------------------	------

<b>Field of View</b>	2.8 mm: H: 104°; V: 56°; D: 124°
	3.6 mm: H: 89°; V: 48°; D: 104°

## Intelligence

<b>Human Detection</b>	Yes
------------------------	-----

<b>Vehicle Detection</b>	Yes
--------------------------	-----

## Audio and Video

<b>Video Compression</b>	H.264B; H.264; H.264H; H.265
--------------------------	------------------------------

<b>Video Frame Rate</b>	Main stream: 2880 × 1620@(1–25/30 fps)
	sub stream: 640 × 360@(1–25/30 fps)

\*The values above are the max. frame rates of each stream; for multiple streams, the values will be subjected to the total encoding capacity.

<b>Video Bit Rate</b>	H.264: 32 kbps–6144 kbps H.265: 32 kbps–6144 kbps
-----------------------	---

<b>Day/Night</b>	Auto(ICR)/Color/B/W
------------------	---------------------

<b>WDR</b>	DWDR
------------	------

<b>Motion Detection</b>	OFF/ON (4 areas, rectangular)
-------------------------	-------------------------------

<b>Image Rotation</b>	0°/180°
-----------------------	---------

<b>Built-in MIC</b>	Yes, built-in Mic
---------------------	-------------------

<b>Built-in Speaker</b>	Yes, built-in speaker
-------------------------	-----------------------

<b>Audio Compression</b>	G.711a; G.711Mu; PCM
--------------------------	----------------------

## Network

<b>Network Port</b>	RJ-45 (10/100 Base-T)
---------------------	-----------------------

<b>Wi-Fi</b>	IEEE 802.11b/g/n/ax 2.4000–2.4835 GHz, 2.4 G, EIRP≤20 dBm
--------------	---

<b>Wi-Fi Pairing</b>	Bluetooth pairing
----------------------	-------------------

<b>Interoperability</b>	ONVIF (Profile S & Profile G & Profile T); CGI
-------------------------	--

<b>Storage</b>	Micro SD card (support max. 256 GB)
----------------	-------------------------------------

<b>Management</b>	Smart PSS Lite; DSS; DMSS
-------------------	---------------------------

## Software

<b>Mobile Client</b>	Android;iOS
----------------------	-------------

---

**General**

<b>Certifications</b>	<b>CE</b>
<b>Power Supply</b>	<b>12 VDC</b>
<b>Power Consumption</b>	<b>Basic: 2.4 W (12 VDC); Max.: 6.9 W (12 VDC)</b>
<b>Operating Temperature</b>	<b>-30 °C to +50 °C (-22 °F to +122 °F)</b>
<b>Operating Humidity</b>	<b>≤95% (RH), non-condensing</b>
<b>Protection</b>	<b>IP67</b>
<b>Camera Button</b>	<b>Reset button</b>
<b>Casing Material</b>	<b>Metal + plastic</b>
<b>Product Dimensions</b>	<b>172.4 mm × 83.3 mm × 75.0 mm (6.79" × 3.28" × 2.95") (L × W × H)</b>
<b>Net Weight</b>	<b>0.3 kg (0.66 lb)</b>