EZVIZ

DP2C

Kod: 00-00003921 · Domofon



Ezviz Wifi domofon DP2C: 2mp 110° IR - 5m Audio (mikrofon)

Texniki göstəricilər

IP	Bağlantı tipi
KİT	Cihaz
WIFI	WIFI
SD Card	Yaddaş
Plastik	Material

Ətraflı məlumat

Model	CS-DP2C
Supported Hole Diameter	16.5 to 50 mm (0.65 to 1.97 inch)
Supported Door Diameter	35 to 105 mm (1.38 to 4.13 inch)
Sensor	1/3" Progressive Scan CMOS
Lens	2.0 mm @ F2.2, visual angle (diagonal):155°
Day/Night Switch	ICR infrared filter
IR Distance	Max. 5m
Max. Resolution	1080p / 2MP
Video Frame Rate	15fps
Angle	110°
Distance	Max. 6m (20 ft)
Sensitivity	Adjustable
Storage Interface	MicroSD card slot (max. 256 GB)
Audio Input	Built-in high sensitivity microphone
Audio Output	Built-in high-power speaker
Buttons	Doorbell button, power button, Screen wake up button
Face Detection	Does not support
Intelligence Alarm	PIR motion detection
Protocol	EZVIZ Cloud Proprietary Protocol
Video Intercom	Local and remote video intercom
General Function	Cloud video encryption and image encryption
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK, WPS
Transmission Rate	11b: 11Mbps, 11g :54Mbps, 11n :150Mbps

Screen	4.3-inch color screen
Color	Silver
Operating Conditions	-10°C to 45°C (14°F to 113 °F), Humidity 95% or less (non-condensing)
Power Supply	DC 5V (±10%)
Power Consumption	Max. 2.2W
Dimension	Screen and Base: 115.5 x 85.5 x 24.5 mm (4.55 x 3.37 x 0.96 inch)
	Peephole Doorbell: 71 x 71 x 48.3 mm (2.80 x 2.80 x 1.90 inch)
Weight	302 g (10.65 oz)
In the box	- DP2C Peephole Doorbell
	- Panel
	- Mounting Base
	- Power Cable
	- Screws × 6
	- Quick Start Guide
Certifications	UL / FCC / CE / WEEE / REACH / RoHS

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az