

## DS-2CE10DF3T-F

Hikvision DS-2CE10DF3T-F 2 mp meqapiksel TVI ColorVu (rəngli) video kamera; Piksel 1920×1080; IR işıqlandırma - 20 m; F2.8 mm; Bucaq-98°;



### Specifications

Model	DS-2CE10DF3T-F
Brand	Hikvision
Qoruma	IP67
Növ	Analoq
Meqapixel	2 MP
İşıqlandırma	LED
Obyektiv	Sabit
Fokus	2.8mm
İşıqlandırma məsafəsi	20 m
Material	Metal
İstifadə mühiti	Outdoor

## KEY FEATURES

<b>Camera</b>	
<b>Image Sensor</b>	2 MP CMOS
<b>Signal System</b>	PAL/NTSC
<b>Resolution</b>	1920 (H) × 1080 (V)
	TVI: 1080p@25fps/30fps CVI: 1080p@25fps/30fps
<b>Frame Rate</b>	AHD: 1080p@25fps/30fps CVBS: PAL/NTSC
<b>Min. Illumination</b>	0.0005 Lux@(F1.0, AGC ON), 0 Lux with white light ON
<b>Shutter Time</b>	PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s
<b>Slow Shutter</b>	Max. 16 times
<b>Lens</b>	2.8 mm, 3.6 mm, 6 mm Fixed Lens
<b>Field of View</b>	2.8 mm, horizontal FOV: 98°, vertical FOV: 52°, diagonal FOV: 116° 3.6 mm, horizontal FOV: 77°, vertical FOV: 42°, diagonal FOV: 91° 6 mm, horizontal FOV: 51°, vertical FOV: 28°, diagonal FOV: 59°
<b>Lens Mount</b>	M12
<b>Light Alarm</b>	Solid Light Alarm (White Light)
<b>Day &amp; Night</b>	Color
<b>WDR (Wide Dynamic Range)</b>	≥130 dB
<b>Angle Adjustment</b>	Pan: 0° to 360°, Tilt: 0° to 90°, Rotation: 0° to 360°
<b>Menu</b>	
<b>White Light</b>	Auto/Off
<b>Image Mode</b>	STD/HIGH-SAT/HIGHLIGHT
<b>AGC</b>	Yes
<b>Day/Night Mode</b>	Color
<b>White Balance</b>	Auto/Manual
<b>AE (Auto Exposure) Mode</b>	WDR, BLC, HLC, Global, HLS
<b>Privacy Mask</b>	4 programmable privacy masks
<b>Motion Detection</b>	4 programmable motion areas
<b>Noise Reduction</b>	3D DNR/2DDNR
<b>Language</b>	English
<b>Function</b>	Brightness, Contrast, Mirror, Defective Pixel Correction, Sharpness, Anti-Banding, Smart Light
<b>Lighting Mode</b>	White Light
<b>Interface</b>	
<b>Video Output</b>	Switchable TVI/AHD/CVI/CVBS
<b>General</b>	
<b>Operating Conditions</b>	-40°C to 60°C (-40°F to 140°F), Humidity: 90% or less (non-condensing)

---

<b>Power Supply</b>	<b>12 VDC ± 25%,</b> <i>*You are recommended to use onepower adapter to supply the power for one camera.</i>
<b>Consumption</b>	<b>Max. 2.9 W</b>
<b>Protection Level</b>	<b>IP67</b>
<b>Material</b>	<b>Metal</b>
<b>White Light Range</b>	<b>Up to 20 m</b>
<b>Communication</b>	<b>HIKVISION-C</b>
<b>Dimension</b>	<b>161.1 mm × 70 mm × 70 mm (6.34" × 2.76" × 2.76")</b>
<b>Weight</b>	<b>Approx. 388 g (0.86 lb.)</b>