

DS-2CE12DF3T-PIRXOS

Hikvision DS-2CE12DF3T-PIRXOS 2 mp meqapiksel TVI səsli PIR siren ColorVu (rəngli) video kamera; Piksel 1920×1080; LED işıqlandırma - 40 m; F3.6 mm; Bucaq-77°; Audio (Mikrofon)



Specifications

Model	DS-2CE12DF3T-PIRXOS
Brand	Hikvision
?? mühiti	Outdoor
Növ	Analoq
Meqapixel	2 MP
???qland?rma	LED
???qland?rma m?saf?si	40 m
Mikrofon	Mic
Obyektiv	Sabit
Fokus	3.6mm
Qoruma	IP67
Material	Metal

KEY FEATURES

Camera

Image Sensor	2 MP CMOS
Signal System	PAL/NTSC
Resolution	1920 (H) × 1080 (V)
Frame Rate	TVI: 1080p@ 25 fps/30 fps
Min. Illumination	0.0005 Lux @ (F1.0, AGCON), 0 Lux with whitelight
Shutter Time	PAL: 1/25 s to 1/50,000 s;NTSC: 1/30 s to 1/50,000 s
Slow Shutter	Max. 16 times
Lens	2.8 mm, 3.6 mm, 6 mm fixedfocal lens
Field of View	2.8 mm, horizontal FOV: 98°, vertical FOV: 52°, diagonal FOV: 116° 3.6 mm, horizontal FOV: 77°, vertical FOV: 42°, diagonal FOV: 91° 6 mm, horizontal FOV:51°, vertical FOV:28°, diagonal FOV:59°
Lens Mount	M12
Light Alarm	Flashing Light Alarm(Red & Blue)
Day & Night	Color
WDR (Wide Dynamic Range)	≥130 dB
Angle Adjustment	Pan: 0° to 360°,Tilt: 0° to 180°, Rotation: 0° to 360°
Menu	
White Light	Auto/Off
Image Mode	STD/HIGH-SAT/HIGHLIGHT
AGC	Yes
Day/Night Mode	Color
White Balance	Auto/Manual
AE (Auto Exposure) Mode	WDR, BLC, HLC, Global, HLS
Privacy Mask	4 programmable privacymasks
Motion Detection	4 programmable motion areas
Noise Reduction	3D DNR/2D DNR
Language	English
Function	Brightness, Contrast, Mirror, Defective PixelCorrection, Sharpness, Anti-Banding, Smart Light
Interface	
Video Output	1 HD analog output
Alarm	1 lineout
Audio In	Built-in mic
General	
Operating Conditions	-40°C to 60°C (-40°Fto 140°F), Humidity: 90% or less(non-condensing)
Power Supply	12 VDC ± 25%

*You are recommended to use one power adapterto supply the powerfor one camera.

Consumption	Max. 11.4 W
Protection Level	IP67
Material	Front cover: Metal,Main body: Plastic
White Light Range	Up to 40 m
PIR Range	Angle: 110°, Range:11 m
Communication	HIKVISION-C
Dimension	82.6 mm × 77.1 mm × 213.2mm (3.25" × 3.04" × 8.39")
Weight	Approx. 467 g (1.03 lb.)