eurotech
Taste of technology

TEXNIKI SƏNƏD

29.11.2026

HIKVISION

DS-7208HQHI-K2/8

Kod: 00-00000446 · Videoregistrator



DS-7208HQHI-K2/8 AUDIO TURBO HD DVR HIKVISION

Texniki göstəricilər

XVR	Növ
8 kanal	Kanal sayı
4 MP	Meqapixel
2 HDD	Max HDD sayı
10 TB	Max HDD həcmi

Ətraflı məlumat

Video compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
Encoding resolution	When 1080p lite mode is not enabled: ,4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF,When 1080p Lite mode is enabled: ,4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF,
Video bit rate	32 Kbps to 6 Mbps
Dual stream	Support
Stream type	Video, Video & Audio
Audio compression	G.711u
Audio bit ratex	64 Kbps
IP video input	4-ch (up to 12-ch) Up to 6 MP resolution Support H.265+/H.265/H.264+/H.264 IP cameras
Analog video input	8-ch BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection
AHD input	4 MP, 1080p25, 1080p30, 720p25, 720p30
HDCVI input	1080p25, 1080p30, 720p25, 720p30
CVBS input	PAL/NTSC
Audio input	8-ch, RCA (2.0 Vp-p, 1 KΩ)
Audio output	1-ch, RCA (Linear, 1 KΩ)
Two-way audio	1-ch, RCA (2.0 Vp-p, 1 KΩ) (using the first audio input)
SATA	2 SATA interfaces
Capacity	Up to 10 TB capacity for each disk
Alarm in/out	N/A
USB interface	2 × USB 2.0
Serial interface	RS-485 (half-duplex)
Power supply	12 VDC
Working temperature	-10 °C to +55 °C (+14 °F to +131 °F)
Working humidity	10% to 90%
Dimensions (W × D × H)	380 × 320 × 48 mm (15.0 × 12.6 × 1.9 inch)

Weights (without HDD)	≤ 1.78 kg (3.9 lb)
Consumption (without HDD)	≤ 7.5 W

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 228 00 16 · sales@eurotech.az