MERCUSYS

Halo H60X(2-pack)

Kod: 00-00005294 · Access Pointlər



"MERCUSYS Halo H60X(2-pack) AX1500 Mesh Wi-Fi sistemi ilə evinizdə sürətli və etibarlı internet bağlantısı təmin edin – geniş əhatə dairəsi, Wi-Fi 6 texnologiyası və yüksək sürət ilə mükəmməl şəbəkə təcrübəsi.

Texniki göstəricilər

WiFi6
WIFI

Mesh
Mesh

100+
Qoşulma sayı

Dual band
Genişlik

2.4Ghz/5Ghz
Tezlik

Ətraflı məlumat

Category	Details
Wireless Standards	Wi-Fi 6 IEEE 802.11ax/ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz
WiFi Speeds	1201 Mbps on 5 GHz, 300 Mbps on 2.4 GHz
Reception Sensitivity	**2.4GHz:** 11g 6Mbps: -96.5dBm 11g 54Mbps: -78dBm **5GHz:** 11a 6Mbps: -96dBm 11a 54Mbps: -78dBm 11ac VHT20 MCS8: -74.5dBm 11ac VHT40 MCS9: -70.5dBm 11ac VHT80 MCS9: -66.5dBm 11ax HE20 MCS11: -66dBm 11ax HE40 MCS11: -63dBm 11ax HE80 MCS11: -61dBm
Transmission Power	2.4 GHz < 20dBm (EIRP) 5 GHz < 23dBm (EIRP)
Wireless Security	WPA-PSK/WPA2-PSK/WPA3
Mesh Protocol	802.11k/v/r
Hardware Dimensions	3.5 × 3.5 × 3.5 in (88 × 88 × 88 mm)
Interfaces	**Halo H60XR:** 3× Gigabit WAN/LAN Ports **Halo H60XS:** 2× Gigabit LAN Ports
Button	Reset button
Software Operation Modes	Router, Access Point
Quality of Service	WMM
WAN Type	Dynamic IP/Static IP/PPPoE/L2TP/PPTP
Management	Local Management, Remote Management, Multi-Managers
DHCP	Server, Client

Category	Details
Firewall Security	SPI Firewall
Protocols	Supports IPv4 and IPv6
Guest Network	2.4 GHz Guest Network, 5 GHz Guest Network
Package Contents (3-pack)	1× Halo H60XR Unit + 2× Halo H60XS Units 1× RJ45 Ethernet Cable 3× Power Adapters Quick Installation Guide
Package Contents (2-pack)	1× Halo H60XR Unit + 1× Halo H60XS Unit 1× RJ45 Ethernet Cable 2× Power Adapters Quick Installation Guide
Environment	Operating Temperature: 0°C40°C (32°F104°F) Operating Humidity: 10%~90% Non-Condensing Storage Humidity: 5%~90% Non-Condensing

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az