

DAHUA

IPC-HFW2449TL-S-PRO

Kod: 00-00005376 · Kamera



DAHUA - IPC-HFW2449TL-S-PRO 4MP WizColor Fixed-focal Bullet WizSense Network Camera

Qiymət, stok və sifariş üçün: [Məhsul səhifəsinə keçin →](https://eurotechnology.az/product/dahua/ipc-hfw2449tl-s-pro)
<https://eurotechnology.az/product/dahua/ipc-hfw2449tl-s-pro>

Texniki göstəricilər

	IP Növ		4 MP Məqapixel
	LED İşıqlandırma		50 m İşıqlandırma məsafəsi
	Mic Mikrofon		Sabit Obyektiv
	2.8mm Fokus		IP67 Qoruma
	Plastik Material		MicroSD Yaddaş



Outdoor

İş mühiti

Ətraflı məlumat

Category	Specification
Image Sensor & Resolution	1/1.8" CMOS sensor, up to 4 MP (2688×1520) @ 20 fps; supports 2560×1440 @ 25/30 fps
Shutter Speed	Auto/Manual 1/3 s – 1/100 000 s
Min. Illumination	0.0005 Lux @ F1.0 (color); warm-light illum. ensures full-color at night
Lens	Fixed M12 2.8 mm (112° FoV); optional 3.6 mm or 6 mm
Illumination Distance	Warm white LEDs up to 50 m full-color at night
Image Enhancements / WDR	120 dB WDR, 3D NR, HLC, BLC, ROI, rotation, mirror, digital watermark
Video Compression	H.265/H.264/H.264H/H.264B, Smart H.265+/H.264+, MJPEG sub-stream
Smart Features	Perimeter protection (tripwire/intrusion with vehicle/human classification), SMD Plus, motion detection, tampering, audio detection, network, SD alerts
Audio	Built-in microphone; audio detection supported
Network & Storage	10/100 Base-T PoE or 12 V DC; ONVIF compliant; micro-SD up to 256 GB
Power Consumption	≤ 7.2 W (PoE); ≤ 5.6 W (12 V DC)
Environmental	IP67 rated; -40 °C to +60 °C; ≤ 95 % RH
Physical	Dimensions ~198 × 80 × 76 mm; weight ~0.57 kg

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az