eurotech
Taste of technology

TEXNIKI SƏNƏD

29.11.2026

DAHUA

IPC-HFW4231TP-ASE

Kod: 00-00002017 · Kamera



DAHUA - IPC-HFW4231TP-ASE (3.6MM) 2MP NETWORK KAMERA

Texniki göstəricilər

IP Növ	**2 MP** Meqapixel
60 m İşıqlandırma məsafəsi	**Sabit** Obyektiv
3.6mm Fokus	**İR** İşıqlandırma
MicroSD Yaddaş	**Outdoor** İş mühiti
IP67 Qoruma	**Plastik** Material

Ətraflı məlumat

Make	Dahua Technology
Model code	IPC-HFW4231TP-ASE
Resolution	2MP resolution
Digital (DSP)	Yes
Sensitivity Lux	0 ~ 0.009
Auto Iris	Yes
Direct Drive	Yes
Electrical Specifications	Voltage: 12 V DC, PoE Power Consumption: 11 W
Focal Length mm	3.6 ~ 6
Wide Dynamic Range	Yes
Picture Elements HxV	1920 x 1080
Network Properties	Image Frame Rate: 25 ~ 60 fps Interface: RJ-45 (10/100Base-T) Network Protocols: HTTP; HTTPs; TCP; ARP; RTSP; RTP; UDP; SMTP; FTP; DHCP; DNS; DDNS; PPPOE; IPv4/v6; QoS; UPnP;NTP; Bonjour; 802.1x; Multicast; ICMP; IGMP; SNMP
Back Light Compensation	Yes
Auto Gain Control	Yes
White Balance	Yes
Electronic Shutter Range	1/3 ~ 1/100000s
S/ N (Signal/ Noise) Ratio dB	50
Compression Type	H.265+, H.265, H.264+, H.264
Physical Specifications	Weight g: 815 Dimensions mm: 244 x 79 x 76

Environmental Specifications	Protection: IP67, IK10 Operating Temperature oC: -30 ~ +60 C (-22 ~ +140 F) Operating Humidity %: 0 ~ 95
System Requirements	Web Browser: IE, Chrome, Firefox, Safari
Additional info	• 1/2.8” 2Megapixel progressive scan STARVIS™ CMOS • H. 265&H.264 triple-stream encoding • 50/60fps@1080P(1920×1080) • Smart Detection supported • WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC • Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS • 3.6mm fixed lens (6mm optional) • Max. IR LEDs Length 60m

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 228 00 16 · sales@eurotech.az