

MERCUSYS

MR30G

Kod: 00-00005292 · Routerlər



MERCUSYS MR30G EU AC1200 Wireless Dual Band Gigabit Router – ikili diapazonlu Wi-Fi, gigabit portlar və geniş əhatə dairəsi ilə ev və kiçik ofislər üçün ideal şəbəkə həlli.

Qiymət, stok və sifariş üçün: [Məhsul səhifəsinə keçin →](https://eurotechnology.az/product/mercusys/mr30g)
<https://eurotechnology.az/product/mercusys/mr30g>

Texniki göstəricilər



WiFi5

WIFI



Dual band

Genişlik



1000 mb/s

Port sürəti



2.4Ghz/5Ghz

Tezlik



50+

Qoşulma sayı

Ətraflı məlumat

Category	Details
Wireless Standards	IEEE 802.11ac/n/a (5 GHz), IEEE 802.11b/g/n (2.4 GHz)
Frequency	2.4 GHz, 5 GHz
WiFi Speeds	867 Mbps (5 GHz) + 300 Mbps (2.4 GHz), compatible with 11ac/a/b/g/n Wi-Fi standards
Reception Sensitivity	11g 6Mbps: -96dBm 11g 54Mbps: -78dBm 11n HT40 MCS7: -71dBm 11n HT20 MCS7: -74dBm 11a 6Mbps: -97dBm 11a 54Mbps: -79dBm 11ac VHT20 MCS8: -74dBm 11ac VHT40 MCS9: -70dBm 11ac VHT80 MCS9: -65dBm
Transmission Power	2.4 GHz < 20dBm (EIRP) 5 GHz < 23dBm (EIRP)
Wireless Security	WPA-PSK / WPA2-PSK
Dimensions	6.3 × 5.0 × 1.5 in (159.7 × 125.9 × 37.1 mm)
Interfaces	1× Gigabit WAN Port + 2× Gigabit LAN Ports
Button	WPS/Reset Button
Antenna Type	4× 5 dBi Fixed Omni-Directional Antennas
Operation Modes	Router Mode, Access Point Mode
WAN Type	Dynamic IP / Static IP / PPPoE / L2TP / PPTP
Management	Access Control Local Management Remote Management
DHCP	Server, DHCP Client List
NAT Forwarding	Port Forwarding, Port Triggering, UPnP, DMZ
Firewall Security	SPI Firewall, IP and MAC Address Binding
Guest Network	2.4 GHz Guest Network, 5 GHz Guest Network

Category	Details
Package Contents	• AC1200 Wireless Dual Band Gigabit Router (MR30G) • Power Adapter • Quick Installation Guide • RJ45 Ethernet Cable
Environment	Operating Temperature: 0°C40°C (32°F104°F) Operating Humidity: 10%~90% Non-Condensing Storage Humidity: 5%~90% Non-Condensing

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az