DATALOGIC

QW2100 QuickScan Lite

Kod: 00-00000309 · Barkod Oxuyucu



DATALOGIC QUICKSCAN LITE QW2100

Texniki göstəricilər

USB
Qoşulma

Ətraflı məlumat

Connection interface	HID (keyboard break connection, KBW)
Manufacturer	Datalogic
Model	QW2170
Series	QuickScan
Guarantee	3 года
Input voltage	5 V
Color	black
Equipment dimensions, sm	17,0 x 6,5 x 7,0
Equipment weight, kg	0.119
Protection from dust and moisture	IP42
Humidity, %	5-95%
Operating temperature, °C	from 0 to 50
Storage temperature, °C	from -40 to 70
Drop resistance	from 1.5 m to concrete
Scanning element	1D Linear
Minimum print contrast, %	25
Reading speed, scan/sec	400
Field of view vertical	+/-65°
Field of view horizontal	+/-45°
Reading indicators	light, sound
Reading Barcodes	1D

Recognizable barcodes	1D / LINEAR BARCODES Automatically recognizes all standard 1D barcodes, including the GS1 DataBar™ family of linear codes. POSTAL SCHEDULES Chinese Post SCHEDULE IN STACK Composite EAN/JAN; Composite GS1 DataBar; GS1 DataBar in stack; Extended GS1 DataBar Stacked, Omnidirectional GS1 DataBar Stacked
Scanner type	Wired

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 228 00 16 · sales@eurotech.az