


# RB951UI-2ND

Mikrotik HAP RB951UI-2ND



## Specifications

Model	RB951UI-2ND
Brand	Mikrotik
WiFi	WiFi4
Tezlik	2.4Ghz

## KEY FEATURES

## Specifications

Product code	RB951Ui-2nD
Architecture	MIPSBE
CPU	QCA9531
CPU core count	1
CPU nominal frequency	650 MHz
Switch chip model	QCA9531
Dimensions	113 x 89 x 28mm
RouterOS license	4
Operating System	RouterOS
Size of RAM	64 MB
Storage size	16 MB
Storage type	FLASH
MTBF	Approximately 100'000 hours at 25C
Tested ambient temperature	-30°C to 70°C
Wireless capabilities	
Wireless 2.4 GHz Max data rate	300 Mbit/s
Wireless 2.4 GHz number of chains	2
Wireless 2.4 GHz standards	802.11b/g/n
Antenna gain dBi for 2.4 GHz	1.5
Wireless 2.4 GHz chip model	QCA9531
Wireless 2.4 GHz generation	Wi-Fi 4
Ethernet	
10/100 Ethernet ports	5
Peripherals	
Number of USB ports	1
USB Power Reset	Yes
USB slot type	USB type A
Max USB current (A)	1
Powering	
Number of DC inputs	2 (DC jack, PoE-IN)
DC jack input Voltage	10-28 V
Max power consumption	5 W
Cooling type	Passive
PoE in	Passive PoE
PoE in input Voltage	10-28 V
PoE-out	
PoE-out ports	Ether5
PoE out	Passive PoE
Max out per port output (input 18-30 V)	500 mA
Max total out (A)	500 mA
Certification & Approvals	

**Specifications**

**Certification**

**CE, FCC, IC, EAC, ROHS**

**IP**

**IP20**

**2.4 GHz**

**Transmit (dBm)**

**Receive Sensitivity**

<b>1MBit/s</b>	<b>22</b>	<b>-96</b>
<b>11MBit/s</b>	<b>22</b>	<b>-89</b>
<b>6MBit/s</b>	<b>20</b>	<b>-93</b>
<b>54MBit/s</b>	<b>18</b>	<b>-74</b>
<b>MCS0</b>	<b>20</b>	<b>-93</b>
<b>MCS7</b>	<b>16</b>	<b>-71</b>