

RW10

SUNLUX RW10 WIRELESS 2D BARCOD SCANNER



Model	RW10
Brend	Sunlux
Növ	Skaner
Printerin tipi	Barkod
Skaner qoşulma	Wireless

Specification

CPU	32bits ARM
Light Source	White LED (Lighting) Red LED(aiming)
Scan Mode	Manual & Automatic & Continuous
Image Sensor	CMOS
Resolution	640x480 Pixels
Scan Speed	60FPS
Scan Precision	±3mil(code 128 6 digits)
Depth of Field	60~300mm(13mil code39)
Print Contrast	≥15%
Interface	USB-HID, USB-VCP
Decoding Capability	1D:Codabar, Code11, Code39, Code32, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, Code93, Code128, GS1-128, UPC-A, UPC-E, EAN8, EAN13, ISBN,ISSN, GS1DataBar, RSS14, GS1 DataBar Limited, GS1 DataBar Expanded, MSI, Standard 25, Plessey 2D: PDF417, Micro PDF417, QR Code, Data Matrix, Aztec Code, Hanxin code, Maxicode
Size	Scanner: 170.9 x 64.4 x 86.8mm Receiver: 15 x 6 x 19mm
Weight	Scanner: 175g±10g (including cable) Receiver: 1.6g
Case Material	ABS+PC
Input Voltage	DC5V±5%
Working Current	312mA
Standby Current	139mA
Indicator	LED indicator light, buzzer

Interface	USB / USB-VCP
Charging mode	TYPE-C cable charging
Charging time	4.5H
Continuous battery life	27H
Battery capacity	2200mAh
Communication methods	2.4G wireless communication, Bluetooth wireless communication
Communication distance	2.4G mode: 100M (open space) Bluetooth mode: 250M (open space)
Humidity	5% to 95% (non-condensing)
Temperature	Operating Temperature: -10~50 Storage Temperature : -20~60
Resistance To Ambient Light	0-100000 lux