

# TL-WR841N

Tp Link router TL-WR841N 2,4 GHz diapazonunda 300 Mbps



Model	TL-WR841N
Brend	Tp-Link
WIFI	WiFi4
Tezlik	2.4Ghz
Port sürəti	100 mb/s

## Specification

WIRELESS	
Standards	Wi-Fi 4 IEEE 802.11n/b/g 2.4 GHz
WiFi Speeds	N300 2.4 GHz: 300 Mbps (802.11n)
WiFi Range	2 Bedroom Houses 2x Fixed Antennas
WiFi Capacity	Legacy
Working Modes	Router Mode Access Point Mode Range Extender Mode WISP Mode

HARDWARE	
Processor	Single-Core CPU
Ethernet Ports	1x 10/100 Mbps WAN Port 4x 10/100 Mbps LAN Ports
Buttons	Reset Button
Power	9 V 0.6 A

SECURITY	
WiFi Encryption	WEP WPA WPA2 WPA/WPA2-Enterprise (802.1x)
Network Security	SPI Firewall Access Control IP & MAC Binding Application Layer Gateway
Guest Network	1x 2.4 GHz Guest Network

SOFTWARE	
Protocols	IPv4 IPv6

SOFTWARE	
Parental Controls	URL Filtering Time Controls
WAN Types	Dynamic IP Static IP PPPoE PPTP L2TP
Quality of Service	QoS by Device
NAT Forwarding	Virtual Server Port Forwarding Port Triggering DMZ UPnP
IPTV	IGMP Proxy IGMP Snooping
DHCP	Address Reservation DHCP Client List Server
DDNS	NO-IP Comex DynDNS
Management	Tether App Webpage

OTHER	
System Requirements	Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser  Cable or DSL Modem (if needed)  Subscription with an internet service provider (for internet access)
Certifications	FCC, CE, RoHS
Environment	Operating Temperature: 0~40 (32 ~104) Storage Temperature: -40~70 (-40 ~158) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

TEST DATA	
WiFi Transmission Power	CE: <20dBm(2.4GHz) FCC: <30dBm
WiFi Reception Sensitivity	270M: -70dBm@10% PER 130M: -74dBm@10% PER 108M: -74dBm@10% PER 54M: -77dBm@10% PER 11M: -87dBm@8% PER 6M: -90dBm@10% PER 1M: -98dBm@8% PER

PHYSICAL	
Dimensions (WxDxH)	6.9 x 4.6 x 1.3 in (173 x 118 x 33mm)
Package Contents	Wi-Fi Router TL-WR841N Power Adapter RJ45 Ethernet Cable Quick Installation Guide