

TL-WR841N

Tp Link router TL-WR841N 2,4 GHz diapazonunda 300 Mbps



Specifications

Model	TL-WR841N
Brand	Tp-Link
WIFI	WiFi4
Tezlik	2.4Ghz
Port sür?ti	100 mb/s

KEY FEATURES

WIRELESS

Standards	Wi-Fi 4 IEEE 802.11n/b/g 2.4 GHz
WiFi Speeds	N300 2.4 GHz: 300 Mbps (802.11n)
WiFi Range	2 Bedroom Houses2× Fixed Antennas
WiFi Capacity	Legacy
Working Modes	Router Mode
	Access Point Mode
	Range Extender Mode
	WISP Mode

HARDWARE

Processor	Single-Core CPU
Ethernet Ports	1× 10/100 Mbps WAN Port 4× 10/100 Mbps LAN Ports
Buttons	Reset Button
Power	9 V ⚡ 0.6 A

SECURITY

WiFi Encryption	WEP
	WPA
	WPA2
	WPA/WPA2-Enterprise (802.1x)
Network Security	SPI Firewall
	Access Control
	IP & MAC Binding
	Application Layer Gateway
Guest Network	1× 2.4 GHz Guest Network

SOFTWARE

Protocols	IPv4
	IPv6
Parental Controls	URL Filtering
	Time Controls
WAN Types	Dynamic IP
	Static IP
	PPPoE
	PPTP
Quality of Service	L2TP
	QoS by Device
NAT Forwarding	Virtual Server
	Port Forwarding
	Port Triggering
	DMZ
	UPnP

SOFTWARE

IPTV	IGMP Proxy IGMP Snooping
DHCP	Address Reservation DHCP Client List Server
DDNS	NO-IP Comex DynDNS
Management	Tether App Webpage

OTHER

Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser

System Requirements Cable or DSL Modem (if needed)

Subscription with an internet service provider (for internet access)

Certifications FCC, CE, RoHS

Operating Temperature: 0~40 (32 ~104)

Environment **Storage Temperature:** -40~70 (-40 ~158)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

TEST DATA

WiFi Transmission Power	CE: <20dBm(2.4GHz) FCC: <30dBm 270M: -70dBm@10% PER 130M: -74dBm@10% PER 108M: -74dBm@10% PER
WiFi Reception Sensitivity	54M: -77dBm@10% PER 11M: -87dBm@8% PER 6M: -90dBm@10% PER 1M: -98dBm@8% PER

PHYSICAL

Dimensions (WxDxH)	6.9 × 4.6 × 1.3 in (173 × 118 × 33mm)
Package Contents	Wi-Fi Router TL-WR841N Power Adapter RJ45 Ethernet Cable Quick Installation Guide