UBIQUITI

UAP-AC-M

Kod: 00-00002129 · Access Pointlər



Ubiquiti UniFi AC Mesh həm binalarda, həm də açıq yerlərdə 360 dərəcə yüksək sürətli WiFi şəbəkələrini yerləşdirmək üçün nəzərdə tutulmuş universal bütün hava şəraitinə uyğun giriş nöqtəsidir.

Texniki göstəricilər

WiFi5 WIFI	**2.4Ghz/5Ghz** Tezlik
250+ Qoşulma sayı	**Mesh** Mesh
Dual band Genişlik	**PoE** PoE

Ətraflı məlumat

Dimensions	353 x 46 x 34.4 mm
Weight	152 g
Speed in the 2.4 GHz band	300 Mbps
Speed at 5 GHz	867 Mbps
Usage	External/internal
Network interface	1x 10/100/1000 Ethernet port
Buttons	Reset
Nutrition method	Passive PoE (power over twisted pair) 24 V (Pins: 4, 5 (+) and 7, 8 (-)) Supports 803.2af standard, Method A (Pins: 1, 2 (+) and 3, 6 (-))(Supported voltage range: 44 - 57 VDC)
Power unit	Gigabit PoE 24 V, 0.5 A (Only one UniFi AC Mesh unit includes a PoE power supply)
Energy saving	Supported
PoE (output)	48V Pass-Through (Pins: 1, 2 (+) and 3, 6 (-))
Maximum power consumption	8.5 W
Maximum radio output power	2.4 GHz: 20 dBm 5 GHz: 20 dBm
Antenna	2x External dual band omnidirectional 2.4 GHz: 3 dBi 5 GHz: 4 dBi
Plug & Play Mesh Technology	Supported
Wi-Fi standards	802.11a/b/g/n/ac
Protection of radio networks	WEP, WPA-PSK, WPA-Enterprise (WPA / WPA2, TKIP / AES)
BSSID	Up to 4 per radio interface (total up to 8 per access point)
Fastening	Wall / mast / quick change bracket (included)
Operating ambient temperature	-30.. +70 °C

Ambient humidity working	5..95% without condensation

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az