

VIGI NVR1008H

TP-LINK VIGI NVR1008H UN 8 CHANNEL NETWORK VIDEO RECORDER, 8 kanal PoE+ dəstəyi ilə təchiz olunmuş şəbəkə video qeydiyyatçısıdır. Bu cihaz, 4K HDMI və VGA çıxışları ilə yüksək keyfiyyətli görüntü təqdim edir və H.265+ sıxışdırma texnologiyası sayəsində yaddaş və bant genişliyinə qənaət edir. 16TB-a qədər SATA HDD dəstəyi ilə uzunmüddətli video saxlama imkanı verir. ONVIF protokolu ilə müxtəlif markalı IP kameralarla uyğun işləyir. VIGI tətbiqi və veb interfeysi vasitəsilə uzaqdan izləmə və idarəetmə mümkündür.



Specifications

Model	VIGI NVR1008H
Brand	Tp-Link
Növ	NVR
Kanal say?	8 kanal
Meqapixel	8 MP
Max HDD say?	1 HDD
Max HDD h?cmi	16 TB

KEY FEATURES

Video and Audio

IP Video Input	8-Channel
Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
HDMI Output Resolution	1 Channel, Resolution: 3840 × 2160/30Hz, 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz
VGA Output Resolution	1 Channel, Resolution: 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz
Video Output Mode	HDMI/VGA Simultaneous Output
Multi-View Display	1/4/6/8

DECODING

Audio Compression	G.711A/G.711U/G.726
Decoding Format	H.265+/H.265/ H.264+/H.264
Video Compression	H.265+/H.265/ H.264+/H.264
Record Resolution	8 MP / 5 MP / 4 MP / 3 MP / 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF
Live View/Playback Resolution	8 MP / 5 MP / 4 MP / 3 MP / 1080p / UXGA 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF
Synchronous Playback Capability	4 Channel† 1-ch @ 8MP, 2-ch @ 4MP, 4-ch @ 2MP

Record Management

Record Mode	• Manual Recording • Scheduling Recording • Motion Detection Recording
Playback Mode	• Instant Playback • Regular Playback • Tag Playback • Event Playback
Backup Mode	• Regular Backup • Video Clip Backup

Playback Function	• Play • Pause • Stop • Fast Forward • Fast Backward • Play By Frame • Full Screen • Video Clip • Export Clip • Digital Zoom • Lock Recording • Audio On/Off
-------------------	--

NETWORK

Protocol	TCP/IP, DHCP, DNS, NTP, UPnP
Mobile Phone Access	Android, iOS

Video and Audio

Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
Web Browser	Chrome (57+), Firefox (52+), Edge (91+)
Interoperability	ONVIF, CGI
External Interface	
Network Interface	1, RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2× USB 2.0
Audio Interface	1, Audio In; 1, Audio Out
Alarm In/Out	N/A
Serial Interface	N/A
Power	1× DC Jack
Reset Button	1
Speaker	N/A
eSATA	N/A
HDMI	1
VGA	1
HARD DISK	
SATA	1 SATA Interface
Capacity	Up to 16 TB
Alarm	
	• Motion Detection • Video Tampering • Line-Crossing Detection • Intrusion Detection
General Alarm	• Region Entering Detection • Region Exiting Detection • Object Abandoned/Removal Detection • Vehicle Detection • Human Detection
Anomaly Alarm	• Video Loss • Offline and IP Conflict • Disk Exception • Login Exception
Alarm Linkage	• Recording • White Light Alarm
	• Buzzer • Log • Audible Alarm
INTERFACES	
Network Interface	1 RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2× USB 2.0
GENERAL	
Operating Temperature	-10–55 °C
Storage Temperature	-40–70 °C
Storage Humidity	10%~90% RH Non-Condensing
Weight	578.5 g
	VIGI Network Video Recorder
Package Content	Power Adapter HDD Screws Mouse