

VIGI NVR1016H

TP-LINK VIGI NVR1016H UN 16 CHANNEL NETWORK VIDEO RECORDER, 16 kanal IP video girişini dəstəkləyən və 8MP-ə qədər yüksək keyfiyyətli görüntüləri qeyd edə bilən şəbəkə video qeydiyyatçısıdır. H.265+ sıxışdırma texnologiyası sayəsində yaddaş və bant genişliyinə qənaət edir. Cihaz, HDMI və VGA çıxışları ilə müxtəlif monitorlara qoşula bilər və eyni anda 16 kanallı canlı görüntü təqdim edir. Uzaqdan idarəetmə üçün VIGI tətbiqi və veb interfeysi mövcuddur, bu da istifadəçilərə istənilən yerdən sistemə nəzarət etməyə imkan verir.



Specifications

Model	VIGI NVR1016H
Brand	Tp-Link
Növ	NVR
Kanal say?	16 kanal
Meqapixel	8 MP
Max HDD say?	1 HDD
Max HDD həcmi	16 TB

KEY FEATURES

Video and Audio

IP Video Input	16-Channel
Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
HDMI Output Resolution	1 Channel, Resolution: 3840 × 2160/30Hz, 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz
VGA Output Resolution	1 Channel, Resolution: 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz
Video Output Mode	HDMI/VGA Simultaneous Output
Multi-View Display	1/4/6/8/9/16

DECODING

Audio Compression	G.711A/G.711U/G.726
Decoding Format	H.265+/H.265/ H.264+/H.264
Video Compression	H.265+/H.265/ H.264+/H.264
Record Resolution	8MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Live View/Playback Resolution	8 MP/5 MP/ 4 MP/3 MP/1080p/UXGA/ 720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF

Synchronous Playback Capability	16-Channel 2-ch @ 8MP, 4-ch @ 4MP, 8-ch @ 2MP
---------------------------------	--

Record Management	
Record Mode	• Manual Recording • Scheduling Recording • Motion Detection Recording
Playback Mode	• Instant Playback • Regular Playback • Tag Playback • Event Playback
Backup Mode	• Regular Backup • Video Clip Backup
Playback Function	• Play • Pause • Stop • Fast Forward • Fast Backward • Play By Frame • Full Screen • Video Clip • Export Clip • Digital Zoom • Lock Recording • Audio On/Off

NETWORK

Protocol	TCP/IP, DHCP, DNS, NTP, UPnP
Mobile Phone Access	Android, iOS
Incoming Bandwidth	80 Mbps

Video and Audio

Outgoing Bandwidth	60 Mbps
Web Browser	Chrome (57+), Firefox (52+), Edge (91+)
Interoperability	ONVIF, CGI
External Interface	
Network Interface	1, RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2× USB 2.0
Audio Interface	1, Audio In; 1, Audio Out
Alarm In/Out	N/A
Serial Interface	N/A
Power	1× DC Jack
Reset Button	1
Speaker	N/A
eSATA	N/A
HDMI	1
VGA	1

HARD DISK

SATA	1 SATA Interface
Capacity	Up to 16 TB
Alarm	

General Alarm	• Motion Detection
	• Video Tampering
	• Line-Crossing Detection
	• Intrusion Detection
	• Region Entering Detection
	• Region Exiting Detection
	• Object Abandoned/Removal Detection
	• Vehicle Detection
	• Human Detection
	• Smart Frame
Anomaly Alarm	• Video Loss
	• Offline and IP Conflict
	• Disk Exception
	• Login Exception
Alarm Linkage	• Recording
	• White Light Alarm
	• Buzzer
	• Log
Alarm Linkage	• Audible Alarm

INTERFACES

Network Interface	1 RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2× USB 2.0

GENERAL

Operating Temperature	-10~55 °C
Storage Temperature	-40~70 °C
Storage Humidity	10%~90% RH Non-Condensing
Weight	578.5 g

VIGI Network Video Recorder

Package Content	Power Adapter
	HDD Screws
	Mouse