

WB2-60N-I

DAHUA WB2-60N-I Elevator wireless bridge, liftlərdə şəbəkə kabellərinin çəkilməsinə ehtiyac qalmadan IP kamera və digər cihazları şəbəkəyə qoşmaq üçün nəzərdə tutulub. 300 Mbps sürət, stabil əlaqə və asan quraşdırma ilə etibarlı həll təqdim edir.



Specifications

Model	WB2-60N-I
Brand	Dahua
WIFI	WiFi4
Tezlik	2.4Ghz
PoE	PoE

KEY FEATURES

Hardware	
Function Slots	2
Power Supply	Passive PoE
Power Consumption	5 W
WAN Port	1 × 10/100 Mbps RJ-45 port
Indicator Light	1 × system indicator; 1 × WAN port indicator; 1 × LAN port indicator; 1 × Wi-Fi indicator
External Port	1 × LAN port (RJ-45); 1 × WAN port (RJ-45)
Wireless Standard	IEEE802.11b/g/n
Performance	
Operating Frequency	2.412 GHz–2.484 GHz
Terminal Communication Protocol	TCP/IP protocol
Air Interface Rate	300 Mbps
Max. Output Power	20 dBm ± 2 dBm
Antenna	Built-in antenna
Antenna Gain	8 dBi
Antenna Direction Angle	Horizontal: 60°; vertical: 60°
Polarization	Horizontal/vertical dual polarization
Cross-polarization Isolation	23 dBi
Max. VSWR	<1.5
Transmission Distance	1 km (3280.84 ft)
Optimal Transmission Distance	300 m (984.25 ft)
Network Mode	Bridge mode
Operating Mode	Access point mode; repeater mode
Channel	1–13
Device Type	802.11b/g/n
Channel Width	20 MHz; 40 MHz
Standard TX Power	20 dBm
Protection	IP65
Function	
WAN Port Connection Mode	Ethernet port
Encryption Mode	WPA2
Management and Log	AC; Syslog; NTP; Telnet
Firmware Update	Web update
Wireless Certification	WPA2
Security Mechanism	Password
Network Protocol	UDP; HTTPS; IPv4; DNS; TCP/IP; HTTP; NTP; DHCP
DHCP Server	Yes
General	
Operating Temperature	–30 °C to +55 °C (–22 °F to +131 °F)

Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Operating Humidity	5%–95% (RH)
Gross Weight	1.33 kg (2.9 lb)
Net Weight	0.72 kg (1.6 lb)
Packaging Dimensions	274 mm × 228 mm × 78 mm (10.79" × 8.98" × 3.07")
Product Dimensions	168.0 mm × 88.0 mm × 57.6 mm (6.61" × 3.46" × 2.27")
Memory	64 MB
Statics Protection	±6 kV
Lighting Protection	±2 kV
Installation	Pole mount
Packing List	2 × Devices
	2 × PoE adapters
	2 × Power cables
	2 × Twisted pair cables
	2 × Hose Clamp
	1 × User manual
	1 × Laws and regulations manual