

WU300

CUDY WU300 AX300 Wi-Fi 6 Nano USB Adapter müasir Wi-Fi 6 texnologiyası ilə daha sürətli və stabil simsiz bağlantı təqdim edir. Kiçik ölçülü nano dizaynı portativ istifadə üçün idealdır. Ev, ofis və gündəlik internet ehtiyacları üçün uyğundur.



Specifications

No technical specifications available.

KEY FEATURES

Model	WU300 1.0
2.4 GHz Wi-Fi Speed	286 Mbps
2.4 GHz Wi-Fi Streams	1T1R
Wi-Fi Antennas	1
Environment	• Operating Temperature: 0 ° ~ 40 ° (32 ° ~104 °) • Storage Temperature: -40 ° ~ 70 ° (-40 ° ~ 158 °) • Humidity: 10% ~ 90% non-condensing • Storage Humidity: 5% ~ 95% non-condensing
Hardware Requirement	Requires a USB 2.0 or higher standard USB port for full speed
Compatible OS	• Windows 7/10/11 • Linux Kernel 3.10~6.8 • UOS • Kylin OS V4 and V10
Driver Installation	Auto driver installation on Windows 7/10/11. Manual driver installation for other OS.
FCC, CE	
Dimension	20×15×8 mm 0.79×0.59×0.31 inches
Product Weight	2.0 g (0.07 oz.)
• WU300 • Installation Guide	
Retail Package Weight	18.1 g (0.64 oz.)
Retail Package Dimension	Vx.0: 103×20×103 mm 4.06×0.79×4.06 inches,Vx.1: 58×20×91 mm 2.28×0.79×3.58 inches
Carton Net Weight	11.4 kg (25.13 lbs)
Carton Gross Weight	12.6 kg (27.78 lbs)
Units per Carton	• Vx.0: 300 • Vx.1: 300
Carton Dimension	• Vx.0: 53.7×33.2×45.2 cm 21.14×13.07×17.8 inches • Vx.1: 53.7×20.0×38.5 cm 21.14×7.87×15.16 inches
Wi-Fi Standards	Wi-Fi 6

Max Wi-Fi Modulation	1024-QAM
Wi-Fi Efficiency	• OFDMA • MU-MIMO • BSS Color
Max Wi-Fi Channel Width	40 MHz
Wi-Fi Security	WPA/WPA2
Automatic Installation for Windows 7 or later OS. Manual Installation for other OS. Driver available in the Download Center.	