TP-LINK

XC220-G3

Kod: 00-00004474 · Routerlər



TP-Link XC220-G3(US1) fiber optik şəbəkələr (XPON) üçün nəzərdə tutulmuş yüksək sürətli AC1200 routerdir. Cihaz eyni vaxtda 2.4 GHz (300Mbps) və 5 GHz (867Mbps) diapazonlarında işləyərək ümumi 1200Mbps-ə qədər sürət təklif edir. Bu, HD video axınları, onlayn oyunlar və böyük faylların yüklənməsi üçün ideal həlldir. Gigabit portları və güclü simsiz siqnalı ilə ev və ya ofis şəbəkəsi üçün ən yaxşı seçimdir.

Texniki göstəricilər

GPON Tip	**Dual band** Genişlik
1000 mb/s Port sürəti	**WiFi5** WIFI
2.4Ghz/5Ghz Tezlik	

Ətraflı məlumat

HARDWARE FEATURES	
External Power Supply	12V/1.0A
Interface	2 10/100/1000 Mbps RJ45 LAN Ports 1 PON Port
Button	WPS/Wi-Fi Button, RESET Button
Antenna	2 External Dual Band Antennas
Data Rates	Downstream Speeds: 2.488 Gbps (GPON), 1.25 Gbps (EPON) Upstream Speeds: 1.244 Gbps (GPON), 1.25 Gbps (EPON)§

WIRELESS FEATURES	
Frequency	2.4 GHz and 5 GHz
Signal Rate	867 Mbps on 5 GHz, 300 Mbps on 2.4 GHz
Transmit Power	2.4 GHz: 26 dBm(EIRP), 5GHz: 28dBm (EIRP)
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
Wireless Security	WPA/WPA2/WPA3 encryptions
Wireless Standards	IEEE 802.11ac/n/a 5 GHz, IEEE 802.11b/g/n 2.4 GHz
Wireless Schedule	Support 2.4 GHz and 5 GHz Wireless Schedule
Mesh Technology	EasyMesh Compatible, and support 802.11k/v/r

SOFTWARE FEATURES	
DHCP	Server, Client, DHCP Client List, Address Reservation, DHCP Relay
Port Forwarding	Virtual Server, Port Triggering, DMZ, ALG, UPnP
Quality of Service	Hardware QoS
Dynamic DNS	DynDns, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec Pass-through

SOFTWARE FEATURES	
Management	Local management: WebGUI management, Aginet app management Remote management: Aginet ACS, OMCI, TR-069, TR-098, TR-181,TR-111,TR-143 Cloud management: TP-Link Aginet Unified Cloud (TAUC)
Security	NAT Firewall, Access Control, MAC/IP/URL Filtering, IP and MAC Address Binding, Defense “Denial of Service (DoS), SYNFlooding, Ping of Death”
Advanced Functions	Parental Controls, Network Address Translation(NAT), Port Mapping(Grouping), Static Routing, DNS Relay, DDNS, IGMP V1/V2/V3
Protocols	IPv4, IPv6

OTHERS	
Package Contents	AC1200 Wireless XPON Router XC220-G3 RJ45 Ethernet Cable Power Adapter Quick Installation Guide
System Requirements	Microsoft Windows 98SE/NT/2000/XP/Vista™/7/8/8.1/10, MAC OS, NetWare, UNIX or Linux Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser Subscription with an internet service provider (for internet access)
Environment	Operating Temperature: 0℃–40℃ (32℉–104℉) Storage Temperature: -40℃–60℃ (-40℉–140℉) Operating Humidity: 10%–90% non-condensing Storage Humidity: 5%–90% non-condensing

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az