

XN020-G3V

TP-Link XN020-G3V ARWISP çoxfunksiyalı GPON routeridir. Fiber-optik internet xidmətləri üçün nəzərdə tutulmuş bu cihaz, 300Mbps simsiz sürət təklif edir və Gigabit Ethernet portları vasitəsilə yüksək sürətli kabelli bağlantı təmin edir. Daxili VoIP funksiyası sayəsində adi telefon zənglərini internet üzərindən həyata keçirməyə imkan verir. Ev və kiçik ofis şəbəkələri üçün tam həll paketi təqdim edir.



Specifications

Model	XN020-G3V
Brand	Tp-Link
Tip	GPON
Tezlik	2.4Ghz
Port sür?ti	1000 mb/s
WIFI	WiFi4

KEY FEATURES

WIRELESS FEATURES

Frequency	2.4GHz
Signal Rate	300Mbps at 2.4GHz
Transmit Power	<20dBm (2.4GHz)
Wireless Functions	Enable/Disable Wireless Radio, WMM, Wireless Statistics
Wireless Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions
Wireless Schedule	Support 2.4GHz Schedule

SOFTWARE FEATURES

DHCP	Server, Client, DHCP Client List, Address Reservation, DHCP Relay
Quality of Service	Hardware QoS
Port Forwarding	Virtual Server, Port Triggering, DMZ, ALG, UPnP
Dynamic DNS	DynDns, NO-IP
Security	NAT Firewall, SPI Firewall, Access Control, MAC/URL Filtering, Denial of Service (DoS), SYN Flooding, Ping of Death, IP and MAC Address Binding SN, Password, SN + Password Authentication Mode Upstream and Downstream FEC, AES encryption
Advanced Functions	Dynamic Bandwidth Allocation(DBA) support NSR/SR 802.1Q VLAN, Static Routing; IGMP v1/v2 /v3 16 T-CONTs, 256 GEM Ports
Management	OMCI, Web Based Configuration, Command Line Interface, SSL for TR-069, OMCI Based Firmware Upgrade
IPSec VPN	Support up to 10 IPSec VPN tunnels
Protocols	Support IPv4 and IPv6
WAN Connection Type	PPPoE, Dynamic IP, Static IP, Bridge
IGMP	IGMP v1/v2/v3

OTHERS

System Requirements	Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, 10, MAC OS, NetWare, UNIX or Linux Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 , or other Java-enabled browser Cable or DSL Modem
Environment	Operating Temperature: 0~40(32~104) Storage Temperature: -40~70(-40~158) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing 300Mbps Wireless N Gigabit VoIP GPON Router XN020-G3v RJ11 Phone Cable
Package Contents	RJ45 Ethernet Cable Quick Installation Guide Power Adapter
Certifications	CE, Anatel

HARDWARE FEATURES

Dimensions (W x D x H)	7.1 ×4.9× 1.4 in. (181.5 ×125.7 ×36.2mm)
Antenna Gain	2X2@2.4G 5dBi
Optical Module	Class C+

HARDWARE FEATURES

Optical Wavelength	Transmit at 1310nm Receive at 1490nm
Transmission Distance	0 ~ 20Km Max
Bandwidth	Downstream up to 2.488Gbps Upstream up to 1.244Gbps Max
Receiver	APD-TIA
Transmitter	DFB Laser
	1* SC/APC port
	1* 10/100/1000Mbps LAN Port
Interface	1* 10/100Mbps LAN Port
	1 FXS Port
Button	Power On/Off Button, Reset Button, WPS/Wi-Fi Button
External Power Supply	12V/0.6A
IEEE Standards	IEEE 802.3, IEEE 802.3u, 802.3ab
Wireless Standards	IEEE 802.11g, 802.11b,802.11n
	ITU G.984.1
	ITU G.984.2
GPON Standards	ITU G.984.3
	ITU G.984.4