XPRINTER

XP-D230H

Kod: 00-00005607 · Printerlər



Xprinter XP-D230H — yüksək performanslı termal etiket printeridir. USB və Ethernet bağlantısı sayəsində şəbəkəyə asan inteqrasiya olunur. Sürətli və səssiz çap, 203 dpi qətnamə və müxtəlif etiket ölçülərini dəstəkləyir. Mağaza, logistika və anbar sistemləri üçün mükəmməldir.

Texniki göstəricilər

Printer	Növ
Çek	Printerin tipi
USB+LAN	Printer qoşulma

Ətraflı məlumat

Model	**XP-D230H**
Printing	
Printing method	Direct thermal
Paper width	58±0.5mm / 79.5±0.5mm
Print width	72mm/ 76mm/ 80mm/ 64mm/ 48mm/ 52mm
Column capacity	576 dots/line(adjustable by command)
Printing speed	230 mm/s Max.
Interface	USB/Lan Optional : WIFI/Bluetooth)
Line spacing	3.75mm (Adjustable by commands)
Column number	80mm paper: Font A - 42 columns or 48 columns/Font B - 56 columns or 64 columns/ Chinese,traditional Chinese - 21 columns or 24 columns
Character size	ANK Font A 1.5×3.0mm 12×24 dots Font B 1.1×2.1mm 9×17 dots Chinese,traditional Chinese:3.0×3.0mm 24×24 dots
Cutter	
Auto cutter	Partial
Barcode Character	
Extension character sheet	PC347 Standard Europe Katakana PC850 Multilingual PC860 Portuguese PC863 Canadian-French PC865 Nordic West Europe Greek Hebrew East Europe Iran WPC1252 PC866 Cyrillic#2 PC852 Latin2 PC858 IranII Latvian Arabic PT151 1251
Barcode types	UPC-A/UPC-E/JAN13 EAN13 /JAN8 EAN8 /CODE39/ITF/CODABAR/CODE93/CODE128
2D Barcode	
Input buffer	64 Kbytes
NV Flash	256 Kbytes
Power	

Power adaptor	Input AC 100-240V, 50~60Hz Output: DC 24V/2.5A
Printer input	DC 24V/2.5A
Cash drawer output	DC 24V/1A
Physical characteristics	
Weight	1.26 KG
Dimensions	185*145*136mm (D×W×H)
Environmental Requirements	
Work environment	Temperature (0 45℃) humidity(10 80%)
Storage environment	Temperature(-10 60℃) humidity(10 80%)
Reliability	
Cutter life	1.5 million cuts
Printer head life	150 KM
Software	
Emulation	ESC/POS
Driver	Windows/JPOS/Linux/Android/Mac/OPOS
Utility	Windows & Linux test Utility
SDK	iOS/Android/Windows

Sənəd avtomatik yaradılıb. Qiymət və mövcudluq üçün bizimlə əlaqə saxlayın — +994 10 239 59 10 · sales@eurotech.az