

DHI-VTH2621G-WP

DAHUA DHI-VTH2621G-WP 7 inch IP & Wi-Fi Indoor Monitor Black, 7 düymlük sensor ekran, IP və Wi-Fi bağlantısı, iki tərəfli audio dəstəyi ilə ev və ofislər üçün müasir interkom monitorudur. Qapı zəngləri, video zənglər və canlı görüntü imkanı təqdim edir.



Specifications

Model	DHI-VTH2621G-WP
Brand	Dahua
Bağlantı tipi	IP
Cihaz	Monitor
WIFI	WIFI
Yadda?	SD Card
Material	Plastik
PoE	PoE

KEY FEATURES

Technical Specification	
System	
Main Processor	Embedded processor
Operating System	Embedded Linux operating system
Interoperability	ONVIF; SDK
Network Protocol	RTSP; RTP; SIP; DNS; SSH
ROM	128 MB
RAM	128 MB
CPU	Dual core 1.2 GHz
Basic	
Screen Type	Capacitive Touchscreen
Display	7" TFT
Screen Resolution	1024 × 600
Audio Compression	G.711a; G.711u; PCM
Audio Input	1
Audio Output	Built-in speaker
Audio Mode	2-way Audio
Audio Enhancement	Echo suppression
Audio Bit Rate	116 bit
Function	
Communication Mode	Full digital
Information Release	Receive and view text information released by the management center
DND Mode	Do not disturb period can be set; Do not disturb mode
Number of Extensions	Villa: 9
	Apartment: 4
	Wi-Fi intercom: 1 main monitor, 2 extension monitors
Wi-Fi	
Wireless Standard	IEEE802.11b/802.11g/802.11n
Wireless Frequency Range	2,412–2,472 MHz
Wireless Security Encryption	WPA/WPA2; WPA-PSK/WPA2-PSK
Performance	
Casing	PC + ABS
Port	
Alarm Input	6
Alarm Output	1
Door Bell	Yes (use any alarm input port)
Network	One 10 /100 Mbps Ethernet
Storage	Micro SD Card, Max 64 GB (reserved for software)
General	
Appearance Color	Black/White

Power Supply	12 VDC 1A; Standard PoE (36–57 V, 0.35 A)
Installation	Surface Mount
Certifications	CE; FCC
Dimensions	189.6 mm × 134.6 mm × 26.0 mm (7.50" × 5.30" × 1.00")
Operating Temperature	–10 °C to +55 °C (+14 °F to 131 °F)
Operating Humidity	10%–95% RH (non-condensing)
Operating Altitude	Beneath 3,000 m (9,842.52 ft)
Power Consumption	Standby ≤ 2W; working ≤ 6W
Net Weight	0.34 kg (0.74 lb)
Gross Weight	0.58 kg (1.27 lb)